

Fast sample / Batch Delivery With a competitive price No MOQ limit the amount Our Commitment to Quality All materials comply with RoHs & SGS & UL



Magnetic element At-A-Glance

Your source for wire wound magnetic solutions

High Frequency transformer Switching Transformers SMD Power Inductors Inductors / Chokes Line Filters



Websit: http://www.dgpinzhan.com E-mail: <u>sale@dgpinzhan.com</u>

MEDICAL

Diagnostic **Surgical Equipment Patient Monitoring** Hand Held Devices **Surgical Generators In-Home Dialysis Power Controller Sequencer**

NETWORKING

Data Center Switching Routers Servers & Server I/O Server Blades **100G Core Switches 3U Top Rack & End of Rack 40G Firewall** Patch Panels & Wiring Closet

TELECOM/DATACOM

Set-Top Boxes Hard Drives Laptops **Printers Plotters Telephone Line Switching** PBX **Current Line Detection**

CONSUMER

Digital Cameras Video Recorders **GPS** - Navigation **Portable Media Players Game controllers Projectors** LCD Televisions Hand Held Devices

INDUSTRIAL

Material Handling **Process Control Robotics** Elevators **Power Controllers POS Terminals** Vending Machines

www.dgpinzhan.com

Whatever stage your product's development is in and you need magnetics, we have the right solution for you.P & Z Electronics is vour one source

Product series classification

- EE/EI/EP/EFD/EER/ER/EF/EEL /RM/PQ/ETD/EDR
- 20KHz ~ 500KHz Operating Frequency
- 0.5W~ 600W Power Capacity Range

EE/EI Series High-frequency Transformer:

- 100KHz~300KHz Operating Frequency
- 0.5W~200W Power Capacity Range
- PCB Installation Vertical Or Horizontal

ETD Series High-frequency Transformer:

- 100KHz ~300KHz Operating Frequency
- 36W~150W Power Capacity Range
- PCB Installation Vertical Or Horizontal

PQ Series High-frequency Transformer:

- 20KHz~250KHz Operating Frequency
- 9W~600W Power Capacity Range
- PCB Installation Vertical Or Horizontal

RM Series High-frequency Transformer:

- 20KHz~250KHz Operating Frequency
- 2W-250W Power Capacity Range
- Through Hole Mount or SMT Package

EFD Series High-frequency Transformer:

- 100KHz~500KHz Operating Frequency
- 4W~60W Power Capacity Range
- Through Hole Mount or SMT Package

EP Series High-frequency Transformer:

- 100KHz~300KHz Operating Frequency
- 0.9W~18W Power Capacity Range
- Through Hole Mount or SMT Package

ER Series High-frequency Transformer:

- 300KHz ~ 500KHz Operating Frequency
- 0.7W ~180W Power Capacity Range
- PCB Installation Vertical Or Horizontal

EPC Series High-frequency Transformer:

- 500KHz Operating Frequency
- •5.5W~ 58W Power Capacity Range
- Through Hole Mount or SMT Package




Contact us with your custom designs or product modification needs.

















MEDICAL

Diagnostic Surgical Equipment Patient Monitoring Hand Held Devices Surgical Generators In-Home Dialysis Power Controller Sequencer

NETWORKING

Data Center Switching Routers Servers & Server I/O Server Blades 100G Core Switches 3U Top Rack & End of Rack 40G Firewall Patch Panels & Wiring Closet

TELECOM/DATACOM

Set-Top Boxes Hard Drives Laptops Printers Plotters Telephone Line Switching PBX Current Line Detection

CONSUMER

Digital Cameras Video Recorders GPS - Navigation Portable Media Players Game controllers Projectors LCD Televisions Hand Held Devices

INDUSTRIAL

Material Handling Process Control Robotics Elevators Power Controllers POS Terminals Vending Machines

www.dgpinzhan.com

P&Z Transformer products are utilized in all segments the electronics spectrum

ERL Series High-frequency Transformer:

- 300KHz~500KHz Operating Frequency
- 33W ~ 180W Power Capacity Range
- Through Hole Mount or SMT Package

POT Series High-frequency Transformer:

- 100KHz ~500KHz Operating Frequency
- •18W ~ 160W Power Capacity Range
- PCB Installation Vertical Or Horizontal

EDR Series High-frequency Transformer:

- 100KHz~300KHz Operating Frequenc
- 10W ~ 40W Power Capacity Range
- Through Hole Mount or SMT Package

UU Series Common Mode Choke/Line Filters:

- $0.20mH \sim 68mH$ Rated Inductance
- 0.3Amps~ 4Amps Rated Current
- PCB Installation Vertical Or Horizontal

ET Series Common Mode Choke/Line Filters:

- $0.2mH \sim 100mH$ Rated Inductance
- 0.3Amps ~ 10Amps Rated Current
- PCB Installation Vertical Or Horizontal

PDL0608~1816 Fixed InductorsSeries :

- 1.2uH~ 4000uH Rated Inductance
- 0.27Amps ~ 14Amps Rated Current
- PCB Installation Vertical Or Horizontal

PDL0605D~0809D Fixed InductorsSeries :

- 10uH~ 47000uH Rated Inductance
- 0.038Amps ~ 2.6Amps Rated Current
- PCB Installation Vertical Or Horizontal

PDSL0606D~0807D PDSL0810~1214 Fixed InductorsSeries :

- 10uH~ 2200uH Rated Inductance
- 0.18Amps ~ 3.61Amps Rated Current
- PCB Installation Vertical Or Horizonta.
- For data sheets, sample requests and detailed product specifications visit our web Contact us with your custom designs or product modification needs.













P&Z Transformer products are utilized in all segments the electronics spectrum

MEDICAL

Diagnostic Surgical Equipment Patient Monitoring Hand Held Devices **Surgical Generators In-Home Dialysis Power Controller Sequencer**

NETWORKING

Data Center Switching Routers Servers & Server I/O Server Blades **100G Core Switches 3U Top Rack & End of Rack 40G Firewall** Patch Panels & Wiring Closet

TELECOM/DATACOM

Set-Top Boxes Hard Drives Laptops **Printers Plotters Telephone Line Switching** PBX **Current Line Detection**

CONSUMER

Digital Cameras Video Recorders **GPS** - Navigation **Portable Media Players** Game controllers **Projectors** LCD Televisions Hand Held Devices

INDUSTRIAL

Material Handling Process Control Robotics Elevators **Power Controllers** POS Terminals **Vending Machines**

www.dgpinzhan.com

Toroid Series Inductors Chokes / Filters :

- 0.7mH to 100mH Rated Inductance
- 0.3A to 10A Rated Current
- PCB Installation Vertical Or Horizontal

PZAL0204~0510 Series Axial color ring inductors:

- 0.1uH~ 1000uH Rated Inductance
- 0.02Amps ~ 0.7Amps Rated Current
- PCB Installation Vertical Or Horizontal

PZRL0205~0630 Series RC Type High Current Chokes:

- •1.0uH~ 56uH Rated Inductance
- •0.56Amps ~ 16.08Amps Rated Current
- PCB Installation Vertical Or Horizontal

PSM0312~1770 Series SMD High Current Inductors:

- 0.47uH~ 68uH Rated Inductance
- 1.2mm to 7.0mm Height
- •2.0Amps ~ 40.0Amps Rated Current

PQPQ2010~2618 Series SMD Flat Wire High Current Inductor:

- 3.3uH~ 33uH Rated Inductance
- 10mm ~18mm Height
- 16.0Amps ~28.0Amps Rated Current

PSCI1045~1256 Series SMD Flat Wire High Current Inductor:

- 0.22uH~ 5.6uH Rated Inductance
- 4.5mm ~ 5.6mm Height
- 5.0Amps ~19.5Amps Rated Current

PSEI0630~1810 Series SMD Flat Wire High Current Inductor:


- 0.13uH~ 47uH Rated Inductance
- 3.0mm~ 10mm Height
- 6.5Amps ~41Amps Rated Current

PD31~107 Series SMD Power Inductor:


- 1.0uH~ 1200uH Rated Inductance
- 1.6.0mm~ 7.5mm Height
- 0.12Amps ~ 9.5Amps Rated Current

PDBE0603~1807 Series SMD Power Inductor:

- 1.0uH~ 1000uH Rated Inductance
- 3.0mm~ 7.11mm Height
- 0.1Amps ~ 8.6Amps Rated Current











P&Z Transformer products are utilized in all segments the electronics spectrum.

PDBW0806~1680 Series SMD Power Inductor:

- 1.2uH~ 1000uH Rated Inductance
- 5.0mm~ 8.0mm Height
- 0.72Amps ~ 30.0Amps Rated Current

PDS2018~5047 Series SMD Power Inductor:

- 0.12uH ~ 3300uH Rated Inductance
- 2.2mm ~ 5.1mm Height
- 0.08mps ~6.0Amps Rated Current

PDH2510~5412 Series SMD Power Inductor:

- $1.0 \text{uH} \sim 47 \text{uH}$ Rated Inductance
- 3.0mm ~ 10mm Height
- 0.24Amps ~ 3.65Amps Rated Current

PDR53~105 Series SMD Power Inductor:

- $10uH \sim 470uH$ Rated Inductance
- 3.5mm ~ 5.5mm Height
- 0.33Amps ~ 2.06Amps Rated Current

PDRA7~6035 Series SMD Power Inductor:

- 0.8uH ~ 1000uH Rated Inductance
- $3.7mm \sim 4.5mm$ Height
- $0.18Amps \sim 4.5Amps$ Rated Current

PDRB1005~7650 Series SMD Power Inductor:

- 3.3uH ~ 1500uH Rated Inductance
- 4.8mm ~ 5.2mm Height
- 0.14Amps ~ 3.6Amps Rated Current

PDRH2D09 ~ 10D38 Series SMD Power Inductor:

- 1.2uH~ 330uH Rated Inductance
 - 3.0mm~ 10mm Height
 - 0.21Amps ~ 10.0Amps Rated Current

PDRH62 ~129 Series SMD Power Inductor:

- $0.13uH \sim 47uH$ Rated Inductance
- 1.1mm ~ 4.0mm Height
- 6.5Amps ~41Amps Rated Current

PDNR2016 ~8.40 Series SMD Power Inductor:

- 1.5uH ~ 330uH Rated Inductance
- 3.0mm ~ 10mm Height
- 0.19Amps ~ 15.10Amps Rated Current

For data sheets, sample requests and detailed product specifications visit our web Contact us with your custom designs or product modification needs.

MEDICAL

- Diagnostic
- Surgical Equipment Patient Monitoring Hand Held Devices Surgical Generators In-Home Dialysis Power Controller Sequencer

NETWORKING

Data Center Switching Routers Servers & Server I/O Server Blades 100G Core Switches 3U Top Rack & End of Rack 40G Firewall Patch Panels & Wiring Closet

TELECOM/DATACOM

Set-Top Boxes Hard Drives Laptops Printers Plotters Telephone Line Switching PBX Current Line Detection

CONSUMER

Digital Cameras Video Recorders GPS - Navigation Portable Media Players Game controllers Projectors LCD Televisions Hand Held Devices

INDUSTRIAL


Material Handling Process Control Robotics Elevators Power Controllers POS Terminals Vending Machines

www.dgpinzhan.com

























We strive to do better, to provide you with better quality products and more competitive prices!



Contact us



Address:

	Second Industrial Zone Shabu Dalang Town, Dongguan City,Guangdong,China
Tel:	+86-769-33219610
Fax:	+86-769-83035525
E-mail:	sale@dgpinzhan.com
Website:	http://www.dgpinzhan.com
	© 2015 P & Z Electronic Transformer. Specifications subject to change without notice.